

Little Ben Tile



LUXURY VINYL PLANK

These 12" x 24" Luxury Vinyl Tiles come in a variety of stone-look designs, with the same hearty, waterproof composition as our highly popular Little Ben line. These vinyl tiles are 5mm thick with a sturdy rigid core, and the floating click & lock installation system is a dream for do-it-yourself homeowners and professional flooring installers alike. Little Ben Tiles look gorgeous thanks to hyper-realistic imaging, textured surfaces, and printed grout lines where the pieces fit together, so you can achieve a genuine tile look with ease.

This product is secured with a 20 Year Residential Warranty - just in case.



DESIGNER
SERIES



BATTLE

SKU: LBT708

Carton / 20.03ft



BOLTON

SKU: LBT046

Carton / 20.03ft



FOUNTAINS

SKU: LBT098

Carton / 20.03ft



GLASTONBURY

SKU: LBT118

Carton / 20.03ft



NORTHANGER

SKU: LBT709

Carton / 20.03ft



WENLOCK CARRERA

SKU: LBT047

Carton / 20.03ft



WESTMINSTER

SKU: LBT056

Carton / 20.03ft



WHITBY

SKU: LBT002

Carton / 20.03ft



Little Ben Tile



LITTLE BEN TILE TECHNICAL DATA SHEET

SPECIFICATIONS

| | |
|----------------------|--|
| Plank Size | (5mm) 3/16"x 24"x 48" |
| SF per carton | 21.96 |
| Edge Profile | 1mm painted Beveled Edge |
| Durability/Warranty | 12mil (.3mm) urethane aluminum oxide (20 year residential / 5 year light commercial) |
| Expansion Limits | 2,200 sf and/or 120 lin ft before requiring an expansion molding |
| Core | Stone Polymer Composite (Heat resistance to 82'C / 180'F) curling <0.20mm Transverse <0.74mm |
| Density | 1,640 kg/m3 |
| Residual Indentation | 2.7% used ASTM F1700-13a, ASTM F1914-07 (pass is <8%) |
| Installation System | Diamond Cut Valinge sides with Innovations I4F drop lock ends |
| Backing | 1mm EVA closed cell foam |
| STC | 67 |
| IIC Rating - Backing | 71 |
| Water Resistance | Waterproof (Moisture can not penetrate closed cell membranes) |
| Air Quality | E01 FloorScore Certified |

